Non-Alphabetically Organized citations for Mycological Society of America 2026 conference poster: “Truffle fungi diversity of the Midwest of North America & description in progress of a *Tuber* species”

Poster authors: Mariah K. Rogers, Dr. Rosanne Healy, Dr. Gregory Bonito, Dr. Véronique Cloutier and Dr. Arthur C. Grupe

[1] Alsheikh, A.M., 1981. Taxonomy of desert truffles: the genera *Phaeangium* and *Tirmania.* Oregon State University.

[2] Bonito, G., Smith, M.E., Nowak, M., Healy, R.A., Guevara, G., Cázares, E., Kinoshita, A., Nouhra, E.R., Domínguez, L.S., Tedersoo, L., Murat, C., Wang, Y., Moreno, B.A., Pfister, D.H., Nara, K., Zambonelli, A. Trappe, J.M. and R. Vilgalys. 2013. Historical Biogeography and Diversification of Truffles in the Tuberaceae and Their Newly Identified Southern Hemisphere Sister Lineage. PLOS.

[3] Brunton-Martin, A., Wood, J. and Gaskett, A.C., 2024. Evidence for adaptation of colourful truffle-like fungi for birds in Aotearoa-New Zealand. Scientific Reports, 14(1), p.18908

[4] Castellano, M. A., J. M. Trappe, Z. Maser, C. Maser. 1989. Key to the Spores of Hypogeous Fungi of North Temperate Forest with Special Reference to Animal Mycophagy. Eureka California: Mad River Press, Print.

[5] Caiafa, M.V., Jusino, M.A., Wilkie, A.C., Díaz, I.A., Sieving, K.E. and Smith, M.E., 2021. Discovering the role of Patagonian birds in the dispersal of truffles and other mycorrhizal fungi. Current biology, 31(24), pp.5558-5570

[6] Dickie IA, Nuñez MA, Pringle A, Lebel T, Tourtellot SG and PR Johnston (2016) Towards management of invasive ectomycorrhizal fungi. Biological Invasions. vol.18(12), pp. 3383–95

[7] Elliott TF, Bower DS, Vernes K 2019 – Reptilian Mycophagy: A global review of mutually beneficial associations between reptiles and macrofungi. Mycosphere 10(1), 776–797

[8] Fogel, R., & Peck, S. B. (1975). Ecological Studies of Hypogeous Fungi. I. Coleoptera Associated with Sporocarps. Mycologia, 67(4), 741–747

[9] Healy, R.A., Smith, M.E., Bonito, G.M., Pfister, D.H., Ge, Z.W., Guevara, G.G., Williams, G., Stafford, K., Kumar, L., Lee, T. and Hobart, C., 2013. High diversity and widespread occurrence of mitotic spore mats in ectomycorrhizal Pezizales. Molecular Ecology, 22(6), pp.1717-1732

[10] Healy, R.A., Zurier, H., Bonito, G. et al. Mycorrhizal detection of native and non-native truffles in a historic arboretum and the discovery of a new North American species, *Tuber arnoldianum* sp. nov.. Mycorrhiza 26, 781–792 (2016)

[11] Kumar, L.M., Smith, M.E., Nouhra, E.R., Orihara, T., Leiva, P.S., Pfister, D.H., McLaughlin, D.J., Trappe, J.M. and R.A. Healy. 2017. A molecular and morphological re-examination of the generic limits of truffles in the tarzetta-geopyxis lineage – *Densocarpa, Hydnocystis,* and *Paurocotylis*. Fungal Biology. 121;3, 264-284

[12] Ori, F., Menotta, M., Leonardi, M., Amicucci, A., Zambonelli, A., Covès, H., Selosse, M.-A., Schneider-Maunoury, L., Pacioni, G. and M. Iotti. 2021. Effect of slug mycophagy on *Tuber aestivum* spores. Fungal Biology, 125;10,796-805

[13] Thomas, P.W. and H.W. Thomas. Mycorrhizal fungi and invertebrates: Impacts on *Tuber melanosporum* ascospore dispersal and lifecycle by isopod mycophagy. 2022. Food Webs, 33. E00260.

[14] Ori, F., Leonardi, M., Iotti, M., Pacioni, G. and J.M. Trappe. 2018. Crested porcupines (*Hystrix cristata*): mycophagist spore dispersers of the ectomycorrhizal truffle *Tuber aestivum.* Mycorrhiza. 28. 10.1007/s00572-018-0840-1.

[15] Cloutier, V.B., Piché, Y., Fortin, J.A., Bérubé, J.A., Glémet, H. and A. Desrochers. 2019. A novel approach for tracing mycophagous small mammals and documenting their fungal diets. Botany. 97(9): 475-785. https://doi.org/10.1139/cjb-2018-0222

[16] Cloutier, V.B. 2017. Mycophagie des micromammifères et diversité fongique hypogée en forêt boréale de l'est du Canada. Ph.D. thesis. Université Laval https://hdl.handle.net/20.500.11794/27717

[17] Stephens, R.B., Moll, R.J., McGraw, A.M., Caiafa, M.V., Smith, M.E., Donner, D., Grinde, A.R. and M.J. Joyce. 2025. Beyond predators: Carnivores as secondary dispersers of mycorrhizal fungi. Ecology Letters. 28(12): e70282. 13 p. https://doi.org/10.1111/ele.70282

[18] Bonito, G., Gryganskyi, A.P., Trappe, J.M. and R. Vilgalys. 2010. A global meta-analysis of Tuber ITS rDNA sequences: species diversity, host associations and long-distance dispersal. Mol Ecol 19:49945008. https://doi.org/10.1111/j.1365-294X.2010.04855.x

[19] Bidartondo, M.I., Burghardt, B., Gebauer, G., Bruns, T.D. and D.J. Read. 2004. Changing partners in the dark: isotopic and molecular evidence of ectomycorrhizal liaisons between forest orchids and trees. *Proc Biol Sci* 1 271 (1550): 1799–1806. https://doi.org/10.1098/rspb.2004.2807

[20] Benson, D.A., Cavanaugh, M., Clark, K., Karsch-Mizrachi, I., Lipman, D.J., Ostell, J. and Sayers, E.W. 2012. GenBank. Nucleic Acids Research, 41(D1), pp.D36-D42. Accessed April 2026.

[21] MycoPorta search. https://mycoportal.org/portal/collections/index.php Accessed June 2025.

[22] Smith, M.E., Gryganskyi, A., Bonito, G., Nouhra, E., Moreno-Arroyo, B., and G. Benny. 2013. Phylogenetic analysis of the genus Modicella reveals an independent evolutionary origin of sporocarp-forming fungi in the Mortierellales. Fungal Genet Biol. Dec;61:61-8. doi: 10.1016/j.fgb.2013.10.001. Epub 2013 Oct 10. PMID: 24120560.

[23] Anderson, R.A., Homola, R.L., Davis, R.B. and G.L. Jacobson Jr.. 1984. Fossil remains of the mycorrhizal fungal *Glomus fasciculatum* complex in postglacial lake sediments from Maine. *Canadian Journal of Botany*. 62(11): 2325-2328. https://doi.org/10.1139/b84-316